
OPS PC Module

OPS73S - i5 - 14400



Windows 11 Pro

Dimensions (mm)



CPU

CPU	i5 - 14400
Cores	10
Threads	16
Base frequency	2.5Ghz
Maximum frequency	4.7Ghz
TDP	65W
Cache	20MB

Memory

Type	Dual channel DDR4 3.200MHz
Interface	DDR4 SODIMM
Size	8GB / 16GB (optional)

Graphics

Intel UHD Graphics 730

Storage

Interface	1×M.2-2280
Size	256GB

Interface

USB Type-A (3.0)	2
USB Type-C	1
Audio	1
Ethernet	1 x RJ45 (10/100/1000M)
HDMI (2.0)	1
Display Port (1.4)	1

HDD_LED	1 (Flashing green LED)
POWER_LED	1 (red LED)
Antenna	2
Power button	1
Reset button	1

Expansion

WLAN	1×M.2 2230 (802.11a/b/g/n/ac/ax, 2.4+5.8GHz, BT5.1,2T2R)
Card	AX210.NGWG.NV-no Vpro

Interface 80Pin OPS

HDMI (2.0)	1
Display Port (1.4)	1
USB Type-A (3.0)	1
USB Type-A (2.0)	3
Power	12~19V DC

OS

Windows 11 Pro

Power

Power input	12~19V DC
Maximum consumption	85,6W
Stand-by consumption	1,4W

Environmental parameters

Operating temperature	-10°C~45°C
Operating humidity	10%~90% RH
Storage temperature	-20°C~60°C
Storage humidity	10%~90% RH

Physical parameters

Dimensions (mm)	202 x 118,8 x 30
Packaging dimensions (mm)	267 x 192 x 72
Net weight (Kg)	0,75
Gross weight (Kg)	0,97

© Copyright Linux Technology, S.L. The information contained in this document is subject to change without notice. The only warranties for Synetech products and services are those set out in the express warranty statements accompanying them. Nothing herein shall be construed as constituting any additional warranty. Synetech accepts no liability for technical or editorial errors or omissions in this document.